


# SURGE

## PROTECTORS & POWER CENTERS



**APEX**  
INTERNATIONAL  
ELECTRONICS



## SURGE CUBE (REPLACEABLE)



Patented Design

Approval:

### SPECIFICATIONS:

- Part Number #SP-00462-WH
- Carton Quantity: 6 inner/ 36 master
- Color: White
- Surge indicator light
- Super compact
- UPC - 8-36329-00462-3

### WARRANTY:

- Lifetime product warranty
- \$2,500 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 34db
Clamping Voltage	330V



Turn any non-surge power strip or power tap into a surge protector

## SURGE CUBE (REPLACEABLE)



Patented Design

Approval:

### SPECIFICATIONS:

- Part Number #SP-00463-BL
- Carton Quantity: 6 inner/ 36 master
- Color: Black
- Surge indicator light
- Super compact
- UPC - 8-36329-00463-0

### WARRANTY:

- Lifetime product warranty
- \$2,500 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 34 db
Clamping Voltage	330V



Turn any non-surge power strip or power tap into a surge protector

## VOICE + DATA PROTECTOR



Approval:

### SPECIFICATIONS:

- Part Number #SP-00464-WH
- Carton Quantity: 6 inner/ 36 master
- Color: White
- UPC - 8-36329-00464-7

### WARRANTY:

- Lifetime product warranty
- \$2,500 equipment replacement warranty

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED



## VOICE + DATA PROTECTOR




### SPECIFICATIONS:

- Part Number #SP-00465-BL
- Carton Quantity: 6 inner/36 master
- Color: Black
- UPC - 8-36329-00465-4

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord 4'	INCLUDED

### WARRANTY:



- Lifetime product warranty
- \$2,500 equipment replacement warranty

## COAXIAL SURGE PROTECTOR



### SPECIFICATIONS:

- Part Number #SP-00466-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- UPC - 8-36329-00466-1

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable 4'	INCLUDED

### WARRANTY:



- Lifetime product warranty
- \$2,500 equipment replacement warranty

## COAXIAL SURGE PROTECTOR



### SPECIFICATIONS:

- Part Number #SP-00467-BL
- Carton Quantity: 6 inner/36 master
- Color: Black
- UPC - 8-36329-00467-8

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable 4'	INCLUDED

### WARRANTY:



- Lifetime product warranty
- \$2,500 equipment replacement warranty



## SINGLE OUTLET SURGE TAP



### SPECIFICATIONS:

- Part Number #SP-00445-WH
- Carton Quantity: 12 inner/ 48 master
- Color: White
- UPC - 8-36329-00445-6

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### WARRANTY:

- Approval: or
- Lifetime product warranty
- \$2,500 equipment replacement warranty

## 3 SIDE OUTLET SURGE TAP + DATA PROTECTION



Patented Design

### SPECIFICATIONS:

- Part Number #SP-00468-WH
- Carton Quantity: 6 inner/ 36 master
- Color: White
- Surge indicator light
- Allows 2 transformers
- UPC - 8-36329-00468-5

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	480
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

### WARRANTY:

- Approval:
- Lifetime product warranty
- \$5,000 equipment replacement warranty

## 3 SIDE OUTLET SURGE TAP + CATV PROTECTION



Patented Design

### SPECIFICATIONS:

- Part Number #SP-00469-WH
- Carton Quantity: 6 inner/ 36 master
- Color: White
- Surge indicator light
- Allows 2 transformers
- UPC - 8-36329-00469-2

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

### WARRANTY:

- Approval:
- Lifetime product warranty
- \$5,000 equipment replacement warranty



## 3-OUTLET ANGLE SURGE TAP (CORD MANAGEMENT)

**NEW**



Patented Design

Approval:

### SPECIFICATIONS:

- Part Number #SP-00470-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Surge indicator light
- Prevent cord bending
- UPC - 8-36329-00470-8

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



Angled 3-outlet adapter allows cord to flow freely downward

## 3-OUTLET ANGLE SURGE TAP (CORD MANAGEMENT)

**NEW**



Patented Design

Approval:

### SPECIFICATIONS:

- Part Number #SP-00471-BL
- Carton Quantity: 6 inner/36 master
- Color: Black
- Surge indicator light
- Prevent cord bending
- UPC - 8-36329-00471-5

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



Angled 3-outlet adapter allows cord to flow freely downward

## 3-OUTLET SURGE ADAPTER



Approval: or

### SPECIFICATIONS:

- Part Number #SP-00446-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Surge indicator light
- UPC - 8-36329-00446-3

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



## 3-OUTLET WITH VOICE + DATA PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00447-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Surge indicator light
- UPC - 8-36329-00447-0

### WARRANTY:



- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	480
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 3-OUTLET WITH COAXIAL PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00448-BL
- Carton Quantity: 6 inner/36 master
- Color: Black
- Surge indicator light
- UPC - 8-36329-00448-7

### WARRANTY:



- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

## 6-SIDE OUTLET SURGE ADAPTER




Patented Design

### SPECIFICATIONS:

- Part Number # SP-00449-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Compact size
- Up to 4 transformers
- Surge indicator light
- UPC - 8-36329-00449-4

### WARRANTY:



- Lifetime product warranty
- \$2,500 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



## 6-OUTLET ADAPTER WITH COAXIAL PROTECTION



- SPECIFICATIONS:**
- Part Number #SP-00451-BL
  - Carton Quantity: 6 inner/ 36 master
  - Color: Black
  - Compact size
  - Surge indicator
  - Mounting screw
  - UPC - 8-36329-00451-7

- WARRANTY:**
- Lifetime product warranty
  - \$2,500 equipment replacement warranty

● Approval: cUL<sub>us</sub> or cSP<sub>us</sub>

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, N-G, L-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable 4'	INCLUDED

## 4-OUTLET SURGE STRIP



- SPECIFICATIONS:**
- Part Number #SP-00452-WH
  - Carton Quantity: 6 inner/ 36 master
  - 3ft. cord
  - Color: White
  - Surge indicator light
  - UPC - 8-36329-00452-4

- WARRANTY:**
- Lifetime product warranty
  - \$2,500 equipment replacement warranty

● Approval: cUL<sub>us</sub> or cSP<sub>us</sub>

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	280
Protection Modes	L-N, L-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

## 6-OUTLET SURGE STRIP



- SPECIFICATIONS:**
- Part Number #SP-00392-WH
  - Carton Quantity: 6 inner/ 36 master
  - 3ft. cord
  - Color: White
  - Compact size
  - Surge/ground indicator light
  - UPC - 8-36329-00392-3

- WARRANTY:**
- Lifetime product warranty
  - \$5,000 equipment replacement warranty

● Approval: cSP<sub>us</sub>

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	280
Protection Modes	L-N
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V





# SURGE PROTECTORS

## 6+1 OUTLET SURGE STRIP



### SPECIFICATIONS:

- Part Number #SP-00457-WH
- Carton Quantity: 6 inner/ 36 master
- 4ft. cord
- Surge/ground indicator light
- Color: White
- 1 transformer pad
- UPC - 8-36329-00457-9

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

Approval: or

## 6+1 OUTLET METAL SURGE STRIP



Patented Design

### SPECIFICATIONS:

- Part Number #SP-00458-WH
- Carton Quantity: 4 inner/ 24 master
- 4ft. cord
- Color: White/black
- Surge indicator light
- Lay flat or against wall
- 1 transformer outlet
- UPC - 8-36329-00458-6

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

Approval:



Gravity causes this specially designed unit to stand up at a 45° angle when cord is plugged into surge. This allows a clear view for users to easily see where the cord is plugged in.

## 6-OUTLET METAL WITH VOICE+DATA PROTECTION



Patented Design

### SPECIFICATIONS:

- Part Number #SP-00459-WH
- Carton Quantity: 4 inner/ 24 master
- 4ft. cord
- Color: White/Black
- Surge indicator light
- Lay flat or against wall
- UPC - 8-36329-00459-3

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	480
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

Approval:



To Order Call: 1-800-905-7057 or Fax 1-562-989-1639




## 6-OUTLET METAL WITH COAXIAL PROTECTION

**NEW**



Patented Design



Approval: US

### SPECIFICATIONS:

- Part Number #SP-00460-WH
- Carton Quantity: 4 inner/24 master
- 4ft. cord
- Color: White/Black
- Surge indicator light
- Lay flat or against wall
- UPC - 8-36329-00460-9

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED


## 6-OUTLET METAL WITH VOICE, DATA & COAXIAL PROTECTION

**NEW**



Color coded labels included for outlet identification

Patented Design



Approval: US

### SPECIFICATIONS:

- Part Number #SP-00461-WH
- Carton Quantity: 4 inner/24 master
- 4ft. cord
- Color: White
- Surge Indicator light
- Lay flat or against wall
- Data line indicator light
- UPC - 8-36329-00461-6

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

## 4+2 OUTLET SURGE STRIP WITH CORD WRAP

**NEW**



**Right Plug™**  
low profile

Patented Design



Approval: US

### SPECIFICATIONS:

- Part Number #SP-00510-WH
- Carton Quantity: 4 inner/24 master
- 4ft. cord
- Color: White/Multi
- 3 + 1 always on
- 2 switched outlets
- Cord management
- UPC - 8-36329-00510-1

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V


Wrap around cord management (Side view)





## STANDARD STYLE DATA LINE SURGE WALL PLATE - FOR CONVENTIONAL RECEPTACLE

Patented New Technology



To fit standard style receptacle

Approval:



### SPECIFICATIONS:

- Part Number #SP-00300-AL
  - Carton Quantity: 8 inner/ 48 master
  - Color: Almond
  - Alarm
  - Mounting hardware
  - Surge/ground indicator light
  - Child safety covers
  - UPC - 8-36329-00300-8
- ### WARRANTY:
- Lifetime product warranty
  - \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS


Rating	15A · 120V · 1800W
Joule Rating	480
Protection Modes	METAL OXIDE VARISTOR
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## STANDARD STYLE SURGE WALL PLATE - WITH COAXIAL PROTECTION

Patented New Technology



To fit standard style receptacle

Approval:



### SPECIFICATIONS:

- Part Number #SP-00301-WH
  - Carton Quantity: 8 inner/ 48 master
  - Color: White
  - Alarm
  - Mounting hardware
  - Surge/ground indicator light
  - Child safety covers
  - UPC - 8-36329-00301-5
- ### WARRANTY:
- Lifetime product warranty
  - \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	METAL OXIDE VARISTOR
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE GOLD
Protection	GASTUBE
Patch Cable	4' INCLUDED

## STANDARD STYLE SURGE WALL PLATE - WITH COAXIAL PROTECTION

Patented New Technology



To fit standard style receptacle

Approval:



### SPECIFICATIONS:

- Part Number #SP-00302-AL
  - Carton Quantity: 8 inner/ 48 master
  - Color: Almond
  - Alarm
  - Mounting hardware
  - Surge/ground indicator light
  - Child safety covers
  - UPC - 8-36329-00302-2
- ### WARRANTY:
- Lifetime product warranty
  - \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	METAL OXIDE VARISTOR
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V


### COAXIAL SPECIFICATIONS

Connector	"F" TYPE GOLD
Protection	GASTUBE
Patch Cable	4' INCLUDED




## DECOR STYLE SURGE WALL PLATE - FOR SQUARE SHAPED RECEPTACLE

Patented New Technology



**NEW**

To fit decor style receptacle

Approval: 



### SPECIFICATIONS:

- Part Number # SP-00303-WH
- Carton Quantity: 8 inner/ 48 master
- Color: White
- Alarm
- Mounting hardware
- Surge/ground indicator light
- Child safety covers
- UPC - 8-36329-00303-9

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	METAL OXIDE VARISTOR
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

existing wall plate · remove wall plate · install surge plate



1.




2.



3.


## DECOR STYLE SURGE WALL PLATE - FOR SQUARE SHAPED RECEPTACLE

Patented New Technology



**NEW**

To fit decor style receptacle

Approval: 



### SPECIFICATIONS:

- Part Number # SP-00304-AL
- Carton Quantity: 8 inner/ 48 master
- Color: Almond
- Alarm
- Mounting hardware
- Surge/ground indicator light
- Child safety covers
- UPC - 8-36329-00304-6

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	420
Protection Modes	METAL OXIDE VARISTOR
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

## DECOR STYLE DATA LINE SURGE WALL PLATE - FOR SQUARE SHAPED RECEPTACLE

Patented New Technology



**NEW**

To fit decor style receptacle

Approval: 



### SPECIFICATIONS:

- Part Number # SP-00305-WH
- Carton Quantity: 8 inner/ 48 master
- Color: White
- Alarm
- Mounting hardware
- Surge/ground indicator light
- Child safety covers
- UPC - 8-36329-00305-3

### WARRANTY:

- Lifetime product warranty
- \$5,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	480
Protection Modes	METAL OXIDE VARISTOR
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED



## 6-OUTLET SURGE STRIP WITH VOICE & DATA PROTECTION



Approval: or

### SPECIFICATIONS:

- Part Number #SP-00477-WH
- Carton Quantity: 6 inner/36 master
- 4ft Cord
- Color: White
- Surge/ground indicator light
- UPC - 8-36329-00477-7

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	900
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 6-OUTLET SURGE STRIP WITH COAXIAL PROTECTION



Approval: or

### SPECIFICATIONS:

- Part Number #SP-00478-WH
- Carton Quantity: 6 inner/36 master
- 4ft Cord
- Color: White
- Surge/ground indicator light
- UPC - 8-36329-00478-4

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	840
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" Type
Protection	GASTUBE
Patch Cable	4' INCLUDED

## 7-OUTLET SURGE STRIP



Approval:

### SPECIFICATIONS:

- Part Number #SP-00479-WH
- Carton Quantity: 6 inner/36 master
- 4ft Cord
- Color: White
- Surge/ground indicator light
- UPC - 8-36329-00479-1

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	840
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



## 7-OUTLET SURGE STRIP WITH VOICE & DATA PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00480-WH
  - Carton Quantity: 6 inner/36 master
  - 4ft Cord
  - Color: White
  - Surge/ground indicator light
  - UPC - 8-36329-00480-7
- WARRANTY:**
- Lifetime product warranty
  - \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	900
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 7-OUTLET SURGE STRIP WITH COAXIAL PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00481-WH
  - Carton Quantity: 6 inner/36 master
  - 4ft Cord
  - Color: White
  - Surge/ground indicator light
  - UPC - 8-36329-00481-4
- WARRANTY:**
- Lifetime product warranty
  - \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	840
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

## 5+1 METAL SURGE STRIP



## CONTRACTOR TOUGH



### SPECIFICATIONS:

- Part Number #SP-00482-BL
  - Carton Quantity: 6 inner/24 master
  - 6ft Cord
  - Color: Black/Yellow
  - One transformer outlet
  - UPC - 8-36329-00482-1
- WARRANTY:**
- Lifetime product warranty
  - \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	840
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

Approval: or



## 6+3 SURGE STRIP



**Right Plug™**  
low profile

Approval: or

### SPECIFICATIONS:

- Part Number #SP-00483-WH
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: White
- Surge/ground indicator light
- Child safety covers
- UPC - 8-36329-00483-8

### WARRANTY:

- Lifetime product warranty
- \$15,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	840
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

## TIMER SURGE PROTECTOR (CORD MANAGEMENT)



**Right Plug™**  
low profile

Patented Design

Approval:

### SPECIFICATIONS:

- Part Number #SP-00484-WH
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: White
- 3 + 1 always on
- 2 multiple setting per day timer
- Surge/power indicator light
- UPC - 8-36329-00484-5

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	840
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



- Wrap around cord management (Side view)
- 7 day programmable timer with daily 2 mode settings





Our Gold edition surge protectors offer an enhanced level of protection for the consumer electronics aficionado who has it all. With many homes having a multitude of electronic devices, from Digital Satellite Systems (DSS) to Large Screen Plasma TV's, from Personal Computers to DVD Players, this category covers it all. If you looking to protect your high caliber Home Electronics, then our Gold edition surge protectors are the choice for you.

### Features include:

- Lifetime product warranty
- Connected equipment warranty of up to \$20,000 - \$50,000
- 1200 to 1850 joule rating
- 330 level clamping voltage
- Resettable circuit breakers
- Enhanced EMI/RFI filters
- Metal and Impact resistant housings
- Lighted master On/Off switch
- Right Plug™, low-profile plugs
- Oversize transformer plug pads
- Patented designs

### Support materials Include:

- Plan-O-Grams
- Seasonal and Promotional displays, End caps, and pallet packs
- Merchandising signage
- Pre-loaded clip strips
- 2 packs & Multi-packs
- Shippable Inner & Master cartons
- Bilingual packaging

## STEALTH FIGHTER SURGE PROTECTOR



### SPECIFICATIONS:

- Part Number #SP-00318-BL
- Carton Quantity: 4 inner/ 8 master
- 6ft Cord
- Color: Black
- Surge/ground indicator light
- allows 3 transformers
- Power cut-off safety circuitry
- UPC - 8-36329-00318-3

### WARRANTY:

- Lifetime product warranty
- \$20,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1680
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	24K GOLD "F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

● Approval: Patented Design

Available with data protection



To Order Call: 1-800-905-7057 or Fax 1-562-989-1639



## 6-OUTLET WALL MOUNT SURGE



### SPECIFICATIONS:

- Part Number #SP-00486-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Surge/ground indicator light
- Mounting screw
- UPC - 8-36329-00486-9

### WARRANTY:


- Lifetime product warranty
- \$20,000 equipment replacement warranty

● Approval: or

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

## 6-OUTLET WALL MOUNT SURGE



### SPECIFICATIONS:

- Part Number #SP-00487-AL
- Carton Quantity: 6 inner/36 master
- Color: Almond
- Surge/ground indicator light
- Mounting Screw
- UPC - 8-36329-00487-6

### WARRANTY:

- Lifetime product warranty
- \$20,000 equipment replacement warranty

● Approval: or

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

## 6-OUTLET WALL MOUNT SURGE WITH DATA LINE PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00488-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Surge/ground indicator light
- Mounting screw
- UPC - 8-36329-00488-3

### WARRANTY:

- Lifetime product warranty
- \$20,000 equipment replacement warranty

● Approval: or

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED



## 6-OUTLET WALL MOUNT SURGE WITH COAXIAL PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00489-BL
- Carton Quantity: 6 inner/36 master
- Color: Black
- Surge/ground indicator light
- Mounting screw
- UPC - 8-36329-00489-0

### WARRANTY:

- Lifetime product warranty
- \$20,000 equipment replacement warranty

● Approval: or

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	24K GOLD "F" TYPE
Protection	GASTUBE
Patch Cable 4'	INCLUDED

## 6-OUTLET WALL MOUNT SURGE WITH DATA LINE PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00490-AL
- Carton Quantity: 6 inner/36 master
- Color: Almond
- Surge/ground indicator light
- Mounting screw
- UPC - 8-36329-00490-6

### WARRANTY:

- Lifetime product warranty
- \$20,000 equipment replacement warranty

● Approval: or

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26 db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord 4'	INCLUDED

## 6-OUTLET WALL MOUNT SURGE WITH COAXIAL PROTECTION



### SPECIFICATIONS:

- Part Number #SP-00491-WH
- Carton Quantity: 6 inner/36 master
- Color: White
- Surge/ground indicator light
- Mounting screw
- UPC - 8-36329-00491-3

### WARRANTY:

- Lifetime product warranty
- \$20,000 equipment replacement warranty

● Approval: or

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	"F" TYPE GOLD
Protection	GASTUBE
Patch Cable 4'	INCLUDED



**6-OUTLET METAL SURGE STRIP**



**CONTRACTOR TOUGH**



**SPECIFICATIONS:**

- Part Number #SP-00492-WH
- Carton Quantity: 4 inner/ 24 master
- 6 ft Cord
- Color: White
- Surge indicator light
- UPC - 8-36329-00492-0

**WARRANTY:**

- Approval: Patented Design
- Lifetime product warranty
- \$25,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

**6-OUTLET METAL SURGE STRIP**



**CONTRACTOR TOUGH**



**SPECIFICATIONS:**

- Part Number #SP-00493-WH
- Carton Quantity: 4 inner/ 24 master
- 15 ft Cord
- Color: White
- Surge indicator light
- UPC - 8-36329-00493-7

**WARRANTY:**

- Approval: Patented Design
- Lifetime product warranty
- \$25,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

**6-OUTLET SURGE STRIP**



**SPECIFICATIONS:**

- Part Number #SP-00494-WH
- Carton Quantity: 6 inner/ 36 master
- 4ft Cord
- Color: White
- Surge/ground indicator light
- UPC - 8-36329-00494-4

**WARRANTY:**

- Approval:
- Lifetime product warranty
- \$35,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V



**6-OUTLET WITH VOICE & DATA PROTECTION**



**Right Plug**  
LOW PROFILE

Approval:

**SPECIFICATIONS:**

- Part Number #SP-00495-WH
- Carton Quantity: 6 inner/ 36 master
- 4ft Cord
- Color: White
- Surge/ground indicator light
- UPC - 8-36329-00495-1

**WARRANTY:**

- Lifetime product warranty
- \$35,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

**DATA LINE SPECIFICATIONS**

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

**6-OUTLET WITH COAXIAL PROTECTION**



**Right Plug**  
LOW PROFILE

Approval:

**SPECIFICATIONS:**

- Part Number #SP-00496-WH
- Carton Quantity: 6 inner/ 36 master
- 4ft Cord
- Color: White
- Surge/ground indicator light
- UPC - 8-36329-00496-8

**WARRANTY:**

- Lifetime product warranty
- \$35,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UPTO 26db
Clamping Voltage	330V

**COAXIAL SPECIFICATIONS**

Connector	24K GOLD "F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

**4+2 OUTLETS SURGE STRIP**



**Right Plug**  
LOW PROFILE

Approval:

**SPECIFICATIONS:**

- Part Number #SP-00497-WH
- Carton Quantity: 4 inner/ 24 master
- 6ft Cord
- Color: White
- 2 transformer outlets
- Surge/ground indicator light
- UPC - 8-36329-00497-5

**WARRANTY:**

- Lifetime product warranty
- \$35,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UPTO 26db
Clamping Voltage	330V



**4+2 SURGE STRIP WITH VOICE & DATA PROTECTION**



**SPECIFICATIONS:**

- Part Number #SP-00498-BL
- Carton Quantity: 4 inner/ 24 master
- 6ft Cord
- Color: Black
- 2 transformer outlets
- Surge/ground indicator light
- UPC - 8-36329-00498-9

**WARRANTY:**

- Lifetime product warranty
- \$25,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26 db
Clamping Voltage	330V

**DATA LINE SPECIFICATIONS**

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

**8-OUTLET SURGE STRIP WITH VOICE & DATA PROTECTION**



**SPECIFICATIONS:**

- Part Number #SP-00499-BL
- Carton Quantity: 4 inner/ 24 master
- 6ft Cord
- Color: Black
- Surge/ground indicator light
- UPC - 8-36329-00499-9

**WARRANTY:**

- Lifetime product warranty
- \$25,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

**DATA LINE SPECIFICATIONS**

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

**8-OUTLET SURGE WITH VIDEO PROTECTION**



**SPECIFICATIONS:**

- Part Number #SP-00525-BL
- Carton Quantity: 4 inner/ 24 master
- 6ft Cord
- Color: Black
- Surge/ground indicator light
- UPC - 8-36329-00525-5

**WARRANTY:**

- Lifetime product warranty
- \$25,000 equipment replacement warranty

**AC LINE SPECIFICATIONS**

Rating	15A · 120V · 1800W
Joule Rating	1390
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 26db
Clamping Voltage	330V

**COAXIAL SPECIFICATIONS**

Connector	"F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED



## Platinum Protection Rating

Top of the line, premium surge protectors make up our assortment of Platinum protection surge protected products. Designed for the professional or high end consumer, these surge protectors are application specific and are equipped with high performance components. Platinum edition surge protectors are recommended for use on Audio/video systems, also high end computer systems and digital satellite systems.

### Features include:

- 1960 & up Joule Rating
- 330 Clamping Levels
- Power shut down
- End of service alarms
- Ultra High performance EMI/RFI filter bank technology
- Enhanced RJ-11/RJ-45 voice and data protection
- 24K Gold plated coax terminals
- Oversize transformer plug pad outlets
- Extended length power cords
- Resettable circuit breakers

### Support materials Include:

- Plan-O-Grams
- Seasonal and Promotional displays, end caps, and pallet packs
- Merchandising signage
- Pre-loaded clip strips
- 2 packs & Multi-packs
- Shippable Inner & Master cartons
- Bilingual packaging

All platinum level surge protectors are backed by a lifetime product warranty, a minimum of \$65,000 connected equipment warranty, and surge, spike, and lightning damage replacement warranty.

### DIGITAL SATELLITE SYSTEM SURGE PROTECTOR WITH VOICE, DATA, COAXIAL PROTECTION



#### SPECIFICATIONS:

- Part Number #SP-00501-BL
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: Black
- Buzzer alarm
- Surge/ground indicator light
- UPC - 8-36329-00501-6

#### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty



Approval: or

#### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2550
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18 db
Clamping Voltage	330V

#### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11, 2 LINE SPLITTER
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

#### COAXIAL SPECIFICATIONS

Connector	"F" TYPE GOLD
Protection	GASTUBE
Patch Cable	4' INCLUDED



## 6 TRANSFORMER OUTLET SURGE



**Right Plug**  
low profile

Approval: or

### SPECIFICATIONS:

- Part Number #SP-00502-GY
- Carton Quantity: 4 inner/ 24 master
- 6ft Cord
- Color: Almond/grey
- 6 transformer outlets
- Surge/ground indicator light
- UPC - 8-36329-00502-3

### WARRANTY:

- Lifetime product warranty
- \$75,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	3450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11/RJ-45
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 8-OUTLET SURGE STRIP WITH VOICE & DATA PROTECTION



**Right Plug**  
low profile

Approval: or

### SPECIFICATIONS:

- Part Number #SP-00503-GY
- Carton Quantity: 4 inner/ 24 master
- 6ft Cord
- Color: Grey
- 3 Transformer outlets
- Surge/ground indicator lights
- UPC - 8-36329-00503-0

### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	3450
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11/RJ-45
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 6-OUTLET METAL SURGE WITH MODERN STYLE



### CONTRACTOR TOUGH



Approval:

Patented Design

### SPECIFICATIONS:

- Part Number #SP-00504-WH
- Carton Quantity: 6 inner/ 36 master
- 6ft Cord
- Color: White
- Surge indicator light
- UPC - 8-36329-00504-7

### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2490
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V



Conventional design has uni-directional outlets, limiting the numbers of power adapters that can be used.



Our outlets are designed to be bi-directional, allowing more flexibility for use.



## 6-OUTLET METAL SURGE WITH VOICE & DATA PROTECTION



### CONTRACTOR TOUGH



#### SPECIFICATIONS:

- Part Number #SP-00505-WH
- Carton Quantity: 6 inner/36 master
- 6ft Cord
- Color: White
- Surge Indicator light
- UPC - 8-36329-00505-4

#### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty

Approval:

Patented Design

#### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2550
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

#### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 6-OUTLET METAL SURGE WITH COAXIAL PROTECTION



### CONTRACTOR TOUGH



#### SPECIFICATIONS:

- Part Number #SP-00506-WH
- Carton Quantity: 6 inner/36 master
- 6ft Cord
- Color: White
- Surge Indicator light
- UPC - 8-36329-00506-4

#### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty

Approval:

Patented Design

#### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2490
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

#### COAXIAL SPECIFICATIONS

Connector	24K GOLD "F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

## 7-OUTLET SURGE STRIP



#### SPECIFICATIONS:

- Part Number #SP-00507-WH
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: White
- Surge Indicator light
- UPC - 8-36329-00507-8

#### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty



Approval: or

#### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2490
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V



## 7-OUTLET SURGE STRIP WITH VOICE & DATA PROTECTION



Approval:  UL<sub>US</sub> or  SF<sub>US</sub>

### SPECIFICATIONS:

- Part Number #SP-00508-WH
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: White
- Surge indicator light
- UPC - 8-36329-00508-5

### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2550
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

## 7-OUTLET SURGE STRIP WITH COAX PROTECTION



Approval:  UL<sub>US</sub> or  SF<sub>US</sub>

### SPECIFICATIONS:

- Part Number # SP-00509-WH
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: White
- Surge indicator light
- UPC - 8-36329-00509-2

### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2490
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

### COAXIAL SPECIFICATIONS

Connector	24KG GOLD "F" TYPE
Protection	GASTUBE
Patch Cable	4' INCLUDED

## 8-OUTLET SURGE PROTECTOR WITH VOICE & DATA PROTECTION



Approval:  UL<sub>US</sub> or  SF<sub>US</sub>

### SPECIFICATIONS:

- Part Number #SP-00500-WH
- Carton Quantity: 4 inner/24 master
- 6ft Cord
- Color: White
- Surge ground indicator light
- Buzzer alarm
- Safety covers
- 2 transformer outlets
- UPC - 8-36329-00500-2

### AC LINE SPECIFICATIONS

Rating	15A · 120V · 1800W
Joule Rating	2550
Protection Modes	L-N, L-G, N-G
Thermal Fuse	YES
EMI / RFI	UP TO 18db
Clamping Voltage	330V

### DATA LINE SPECIFICATIONS

Phone Jack	RJ-11, 2 LINE SPLITTER
Protection	METAL OXIDE VARISTOR
Patch Cord	4' INCLUDED

### WARRANTY:

- Lifetime product warranty
- \$65,000 equipment replacement warranty



Outdoor Power Accessories/Outlets

Digital Timer

The Garden Power digital timer is the ultimate power accessory for anyone planning a party, installing temporary lighting, seasonal decorations, or for powering bug zappers and patio fountains. Our sensor activated timer is completely programmable and multi mode capable. Choose from instant on/timed off, dusk to dawn, or 1-9 hr programmable mode options. The timer is simple to operate with no wiring or tools required, just plug in, program and you are ready to go!

Power Post

Finally a safe temporary power source designed for outdoor living. Manufactured with UV and water resistant compounds this product will stand up to the harshest sun or exposure to rain, sprinklers and morning dew. Completely portable, our temporary power posts are a safe and easy way to bring power to just where it is needed, plus installations are quick and easy with the removable ground spike or stationary wall bracket. Post options include – sensor, programmable timer, 3 or 6 grounded outlets, and a water resistant outlet cover. All styles come with a 6ft power cord, resettable circuit breaker, and a limited lifetime warranty against manufacturers defect.




**PATENT  
PRODUCTS**



**SINGLE OUTLET DIGITAL OUTDOOR TIMER**



Approval: 

**SPECIFICATIONS:**

- Part Number # PC-00330-GN
- Carton Quantity: 6 inner/ 36 master
- 1ft Cord
- Color: Green
- Sensor activated
- 8.3A · 120V · 1000W Tungsten
- UPC - 8-36329-00330-5


**WARRANTY:**

- Lifetime product warranty



**3-OUTLET POWER POST**



Approval: 

**SPECIFICATIONS:**

- Part Number # PC-00352-GN
- Carton Quantity: 4 master
- 6ft Cord
- Color: Green
- ON/OFF switch with 15 amp breaker
- Outdoor rated
- Child safety covers
- 15A · 125V · 1875W
- UPC - 8-36329-00352-7

**WARRANTY:**


- Lifetime product warranty



patented

**3-OUTLET POWER POST WITH SENSOR**



Approval: 

**SPECIFICATIONS:**

- Part Number # PC-00353-GN
- Carton Quantity: 4 master
- 6ft Cord
- Color: Green
- Sensor - dusk to dawn
- ON/OFF switch
- Outdoor rated
- Child safety covers
- 15A · 125V · 1875W
- UPC - 8-36329-00353-4

**WARRANTY:**

- Lifetime product warranty




patented



## BAY SHORE LIGHT HOUSE



 Sensor activated

### SPECIFICATIONS:

-  Part Number #NL-00026-BU
-  Carton Quantity: 6 inner/36 master
-  Color: Blue
-  UPC - 8-36329-00026-7

### FEATURES:

-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  3 Outlets (always on)

### WARRANTY:

-  Lifetime product warranty

 Approval:  Patented Design

## EASTERN SHORE LIGHT HOUSE






 Sensor activated


### SPECIFICATIONS:

-  Part Number #NL-00027-BU
-  Carton Quantity: 6 inner/36 master
-  Color: Blue
-  UPC - 8-36329-00027-4

### FEATURES:

-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  3 Outlets (always on)

### WARRANTY:

-  Lifetime product warranty





 Approval:  Patented Design

## PACIFIC COAST LIGHT HOUSE




 Sensor activated


### SPECIFICATIONS:

-  Part Number #NL-00028-BU
-  Carton Quantity: 6 inner/36 master
-  Color: Blue
-  UPC - 8-36329-00028-1

### FEATURES:

-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  3 Outlets (always on)

### WARRANTY:

-  Lifetime product warranty





 Approval:  Patented Design

## BREAK WATER LIGHT HOUSE




 Sensor activated

### SPECIFICATIONS:

-  Part Number #NL-00029-BU
-  Carton Quantity: 6 inner/36 master
-  Color: Blue
-  UPC - 8-36329-00029-8

### FEATURES:

-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  3 Outlets (always on)

### WARRANTY:


-  Lifetime product warranty

 Approval:  Patented Design



## GULF COAST LIGHT HOUSE






 Sensor activated

### SPECIFICATIONS:

-  Part Number #NL-00030-BU
-  Carton Quantity: 6 inner/36 master
-  Color: Blue
-  UPC - 8-36329-00030-4

 Approval:  Patented Design

### FEATURES:


-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  6 Outlets (always on)

### WARRANTY:

-  Lifetime product warranty

## LANDS END LIGHT HOUSE






 Sensor activated

### SPECIFICATIONS:

-  Part Number #NL-00031-RD
-  Carton Quantity: 6 inner/36 master
-  Color: Red
-  UPC - 8-36329-00031-1

 Approval:  Patented Design

### FEATURES:


-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  6 Outlets (always on)

### WARRANTY:

-  Lifetime product warranty

## SAIL BOAT



 Sensor activated

### SPECIFICATIONS:

-  Part Number #NL-00023-RD
-  Carton Quantity: 6 inner/36 master
-  Color: Red
-  UPC - 8-36329-00023-6

 Approval:  Patented Design

### FEATURES:


-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  3 Outlets (always on)

### WARRANTY:



-  Lifetime product warranty

## SAIL BOAT



 Sensor activated

### SPECIFICATIONS:


-  Part Number #NL-00024-WH
-  Carton Quantity: 6 inner/36 master
-  Color: White
-  UPC - 8-36329-00024-3

 Approval:  Patented Design

### FEATURES:

-  4 Watt night light
-  15 Amps, 120 Volts, 1800 Watts
-  3 Outlets (always on)

### WARRANTY:

-  Lifetime product warranty



# SPECIALTY SURGE PROTECTORS

*all new, patented products*

page 67



## Who says surge protectors have to be boring?

Fun and promotable, our line of specialty surge protectors offer an eye catching option to the more traditional rectangular styles. Designed to appeal to train, air craft, submarine or military enthusiasts, these models still provide top quality computer grade protection for connected equipment. Manufactured with full three line protection, EMI/RFI filters, thermal fuse protection, and a 330 clamping voltage rating, our surge protectors carry a cCSAus approval, and are backed with a limited lifetime warranty.





# SPECIALTY SURGE PROTECTORS

all new, patented products

page 68

## BULLET TRAIN



 Night Light Glows Green

### SPECIFICATIONS:

- Part Number #SP-00315-SL
- Carton Quantity: 4 inner/ 8 master
- Color: Silver
- UPC - 8-36329-00315-2

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty
- Approval: 

### FEATURES:

- Sensor activated nightlight 4W
- 420 Joules & 330 clamping
- EMI/RFI Filter
- 4ft. Power cord
- Master on/off switch
- 15 Amp circuit breaker
- Status indicator light
- Sliding outlet covers
- Power shut down

## ATTACK SUBMARINE



 Night Light Glows Green

### SPECIFICATIONS:

- Part Number #SP-00316-BL
- Carton Quantity: 4 inner/ 8 master
- Color: Black
- UPC - 8-36329-00316-9

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty
- Approval: 

### FEATURES:

- Sensor activated nightlight 4W
- 420 Joules & 330 clamping
- EMI/RFI Filter
- 4ft. Power cord
- Master on/off switch
- 15 Amp circuit breaker
- Status indicator light
- Sliding outlet covers
- Power shut down

## STEALTH BOMBER



 Night Light Glows Green

### SPECIFICATIONS:

- Part Number #SP-00317-BL
- Carton Quantity: 4 inner/ 8 master
- Color: Black
- UPC - 8-36329-00317-6

### WARRANTY:

- Lifetime product warranty
- \$10,000 equipment replacement warranty
- Approval: 

### FEATURES:

- Sensor activated nightlight 4W
- 420 Joules & 330 clamping
- EMI/RFI Filter
- 4ft. Power cord
- Master on/off switch
- 15 Amp circuit breaker
- Status indicator light
- Sliding outlet covers
- Power shut down